

Zone 0/1/2 Applicable INTRINSICALLY SAFE FLASHLIGHT

# SL-27



SCARLET | TECH



Certifications:



- ATEX/IECEx intrinsically safe approved
- Bright and powerful light
- Durable impact-resistant structure

- Special reflector for long-range lighting
- Integration via industrial output

# RECHARGEABLE INTRINSICALLY SAFE TORCH

## Features:

- Cree XPE-R4 LED
- Battery charging can be cycled 1000 times
- Anti-drop and shock-proof structure
- Special arc design to break the glass in emergency situation
- Waterproof sealing ring, can be used normally under water.
- Rechargeable
- Long lifespan of 100,000 hours
- Lumens : 100



SL-27	Low		Strobe	High
Battery	1865D Rechargeable Battery			
LED power	3 W			
Light Source	Cree XPE-R4 / Lifespan of 100,000 hrs			
Charging time	6hr			
Working Voltage	4.2V			
Charger	100 - 240 V AC (50 Hz) power supply			
Working Time	16hr	8hr		8hr
Beam Distance	100 meter	unknow		300 meter
Light Output	80 lm	100 lm		100lm
IP Rating	IP67			
Weight	182.4 g (Battery included)			
Dimension	137.7 x 33 x 33 mm			
Lumens	100lm			
Lens Material	Aviation grade aluminum alloy			



